

## Author index


- AARLI, V. & AUKLAND, K. Oedema-preventing mechanisms in slow-compliant tissue: studies on the rat tail, 489
- AGNATI, L. F. (see AGUIRRE, J. A.)
- AGNATI, L. F. (see FUXE, K.)
- AGUIRRE, A. (see FUXE, K.)
- AGUIRRE, J. A., FUXE, K., ANDBJER, O., ENEROTH, P. & AGNATI, L. F. Changes in pituitary-adrenal activity activate the central vasodepressor responses induced by Y and adrenaline in the awake unrestrained rat, 35
- AGUIRRE, J. A. (see HEDLUND, P.)
- AGUIRRE, J. A. (see PÉREZ DE LA MORA, M.)
- AHLMAN, H. (see WIGANDER, A.)
- AL-FALAHE, N. A., NAGAOKA, M. & VALLBO, A. B. Dual responses from human muscle spindles in fast voluntary movements, 363
- ALLEVARD, A. M. (see MELIN, B.)
- ANDBJER, O. (see AGUIRRE, J. A.)
- ANDERSSON, B. & ERICSSON, S. Evidence in the sheep for an interaction between systemic angiotensin II and cerebral angiotensinergic mechanisms, 575
- ANDERSON, K.-E. (see MADSEN, G.)
- ANDERSSON, K.-E., ATTA, M. A., ELBADAWI, A., LARSSON, B., MATTIASSEN, A. & SJOGREN, C. Effects of parasympathetic decentralization on some nerve-mediated functions in the feline urinary bladder, 11
- ANDERSSON, K.-E. (see GARCIA-PASCUAL, A.)
- ANDERSSON, K.-E., GARCIA-PASCUAL, A., FORMAN, A. & TOTTRUP, A. Non-adrenergic, non-cholinergic nerve-mediated relaxation of rabbit urethra is caused by nitric oxide, 133
- ANDERSSON, K.-E. (see HOLMQUIST, F.)
- ANDERSSON, M. (see LUNDBERG, J. M.)
- ANDERSSON, T. L. G. & VINGE, E. The efflux of  $^{86}\text{Rb}$  and  $[^3\text{H}]5\text{-HT}$  from human platelets during continuous perfusion: effects of potassium-induced membrane depolarization and thrombin stimulation, 421
- ÄNGÅRD, A. (see STJÄRNE, P.)
- APERIA, A. (see EKLOF, A.-C.)
- ARAKI, H. (see ISHIHARA, A.)
- ARJAMMA, O. (see KENERVBO, A.)
- ARNER, M., HÖGESTÄTT, E. D. & USKI, T. K. Characterization of contraction-mediating prostanoid receptors in human hands veins: effects of the thromboxane receptor antagonists BM13,505 and AH23848, 79
- ARROYO, V. (see CLARIA, J.)
- ARVOLA, P. (see PORSTI, I.)
- ASBERT, M. (see CLARIA, J.)
- ASPERIA, A. (see FUKUDA, Y.)
- ATTA, M. A. (see ANDERSSON, K.-E.)
- AUKLAND, K. (see AARLI, V.)
- BAHR, R., ÖPSTAD, P. K., MEDBØ, J. I. & SEJERSTED, O. M. Strenuous prolonged exercise elevates resting metabolic rate and causes reduced mechanical efficiency, 555
- BASSOTTI, G., IMBIMBO, B. P., BETTI, C., ERBELLA, G. S., PELLI, M. A. & MORELLI, A. Edrophonium chloride for testing colonic contractility in man, 289
- BEAUDRY, M., DUVALLET, A., THIEULART, K., EL ABIDA, K. & RIEU, M. Lactate transport in skeletal muscle cells: uptake in L6 myoblasts, 379
- BERGSTRÖM, G. (see KARLSTRÖM, G.)
- BETTI, C. (see BASSOTTI, G.)
- BEYER, J. (see NINK, M.)
- BJELKE, B. (see HEDLUND, P.)
- BJÖRNBERG, J. (see MASPER, M.)
- BLIX, A. S. (see NORDØY, E. S.)
- BOWMAN, H. G. (see LUNDBERG, J. M.)
- BONDESSON, L., NORDLIND, K., LIDÉN, S., GAFVELIN, G., THEODORSSON, E. & MUTT, V. Dual effects of vasoactive intestinal peptide (VIP) on leucocyte migration, 477
- BRADY, S. T. (see DAHLSTRÖM, A. B.)
- BRISMAR, T. (see LINDSTRÖM, P.)
- BRODIN, E. (see STILLER, C.-O.)
- BUANES, T. (see VEEL, T.)
- BLOW, A. & JOHANSSON, B. Effect of felodipine on the myogenic response to dynamic stretch in vascular smooth muscle, 541
- CASTRO, A. (see CLARIA, J.)
- CELSI, G., SAVIN, J., HENTER, J. I. & SONTELL, M. The contribution of ultrafiltration pressure for glomerular hyperfiltration in young nephrectomized rats, 483
- CLARIA, J., JIMINEZ, W., LA VILLA, G., ASBERT, M., CASTRO, A., LLIBRE, J., ARROYO, V. & RIVERA, F. Effects of endothelin on renal haemodynamics and segmental sodium handling in conscious rats, 305
- COLLIANDER, E. B. & TESCH, P. A. Response to eccentric and concentric resistance training in females and males, 149
- COSTA, G. (see GARCIA-PASCUAL, A.)
- CRADO, J. M. (see YAJEYA, J.)
- CURÉ, M. (see MELIN, B.)
- DAHLSTRÖM, A. B., PFISTER, K. K. & BRADY, S. T. The axonal transport motor 'kinesin' is bound to anterogradely transported organelles: quantitative cytofluorimetric studies of fast axonal transport in the rat, 469
- DAHLSTRÖM, A. (see WIGANDER, A.)

- DE LA FUENTE, A. (see YAJEYA, J.)
- DELBRO, D. S. & LISANDER, B. Inhibition of gastric motility via an extraspinal pathway, by afferent mesenteric nerve stimulation in pithed rats, 125
- DUVALLET, A. (see BEAUDRY, M.)
- EDMAN, Å. & GRAMPP, W. Ion ( $H^+$ ,  $Ca^{2+}$ ,  $Co^{2+}$ ) and temperature effects on a hyperpolarization-activated membrane current in the lobster stretch receptor neurone, 251
- EFENDIC, S. (see JOHANSSON, O.)
- EINARSSON, S. (see ROJIKITTIKHUN, T.)
- EKELUND, U. (see MASPER, M.)
- EKLÖF, A.-C., HÖKFELT, T. & APERIA, A. Renal nerve activity does not contribute to the development of renal vascular hypertension in rats with abdominal aortic constriction, 71
- EKSTRÖM, J. (see MÄNSSON, B.)
- EL ABIDA, K. (see BEAUDRY, M.)
- ELBADAWI, A. (see ANDERSSON, K.-E.)
- ENEROTH, P. (see AGUIRRE, J. A.)
- ENGEL, B. T. & TALAN, M. I. Diurnal variations in central venous pressure, 273
- ERBELLA, G. S. (see BASSOTTI, G.)
- ERICKSSON, S. (see ANDERSSON, B.)
- ESBJÖRNSSON, M. (see HILDEBRAND, I. L.)
- FASTBOM, J. (see STILLER, C.-O.)
- FENG, D. M. (see WIESENFELD-HALLEN, Z.)
- FOLKERS, K. (see WIESENFELD-HALLEN, Z.)
- FOLKOW, B. (see KARLSTRÖM, G.)
- FORMAN, A. (see ANDERSSON, K.-E.)
- FORMAN, A. (see MADSEN, G.)
- FRANCO-CERCEDA, A. (see LOU, Y.-P.)
- FREDRIKSEN, O. (see HANSEN, C. P.)
- FREDHOLM, B. B. (see STILLER, C.-O.)
- FRIBERG, P. (see SMOLICH, J. J.)
- FUKUDA, Y., MALMBORG, A.-S. & ASFERIA, A. Gentamicin inhibition of  $Na^+$ ,  $K^+$ -ATPase in rat kidney cells, 27
- FUXE, K. (see AGUIRRE, J. A.)
- FUXE, K., AGUIRRE, A., TINNER, B., AGNATI, L. F., GERBERTH, B. & MUTT, V. PEC-60, a novel porcine 60-residue intestinal peptide, reduces dopamine utilization in discrete parts of the neostriatum of the male rat following an intracerebroventricular injection, 139
- FUXE, K. & OGREN, S. O. The unique effect of remoxipride on dopamine utilization in the basal ganglia, 577
- FUXE, K. (see HEDLUND, P.)
- FUXE, K. (see PÉREZ DE LA MORA, M.)
- GAFVELIN, G. (see BONDESSON, I.)
- GARCIA-PASCUAL, A. (see ANDERSSON, K.-E.)
- GARCIA-PASCUAL, A., COSTA, G., GARCIA-SACRISTAN, A. & ANDERSSON, K.-E. Relaxation of sheep urethral muscle induced by electrical stimulation of nerves: involvement of nitric oxide, 531
- GARCIA-SACRISTAN, A. (see GARCIA-PASCUAL, A.)
- GEELLEN, G. (see MELIN, B.)
- GERBERTH, B. (see FUXE, K.)
- GHARIB, C. (see MELIN, B.)
- GOTOH, E. (see MATSUKAWA, T.)
- GRAMPP, W. (see EDMAN, Å.)
- GRILLNER, P., HILL, R. & GRILLNER, S. 7-Chloro-kynurenic acid blocks NMDA receptor-induced fictive locomotion in lamprey - evidence for a physiological role of the glycine site, 131
- GRILLNER, S. (see GRILLNER, P.)
- GROTMOL, Y. (see VEEL, T.)
- GÖTHBERG, G. (see KARLSTRÖM, G.)
- GUSTAFSSON, N. P. (see PERSSON, M. G.)
- HAGLID, K. (see WIGANDER, A.)
- HAKANSON, R. (see WIESENFELD-HALLEN, Z.)
- HÄKKINEN, V. (see YLI-HANKALA, A.)
- HANSEN, C. P., HOLSTEN-RATHLOU, N., SKOTT, O., LEYSSAC, P. P. & FREDRIKSEN, O. Lithium absorption by the rabbit gall bladder, 185
- HANSSON, G. C. (see LUNDGREN, O.)
- HASHIMOTO, H. & NAKASHIMA, M. Evidence for a link between mechanical and electrical alternans in acutely ischaemic myocardium of anaesthetized dogs, 63
- HEDLUND, P. & FUXE, K. Chronic imipramine treatment increases the affinity of [ $^{125}I$ ]galanin binding sites in the tel- and diencephalon of the rat and alters the 5-HT  $1A$ /galanin receptor, 137
- HEDLUND, H. (see HOLMQVIST, F.)
- HEDLUND P., BJELKE, B., AGUIRRE, J. A. & FUXE, K. Preferential increases of [ $^{125}I$ ]NYP $_{1-36}$  binding in the hippocampal formation produced by the NPY  $Y_2$  receptor agonist NPY $_{13-36}$ , 279
- HELLSTRÖM, P. (see LYDRUP, M. L.)
- HELLSTRÖM, K. (see HILDEBRAND, I. L., HEMSÉN, A. (see LUNDBERG, J. M.))
- HEMSÉN, A. (see PERNOW, J.)
- HEMSÉN, A., PERNOW, J. & LUNDBERG, J. M. Regional extraction of endothelins and conversion of big endothelin to endothelin-1 in the pig, 325
- HENTER, J. I. (see CELSI, G.)
- HEUBERGER, W. (see NINK, M.)
- HEXEBERG, E., MATRE, K. & LEKVEN, J. Transmural fibre direction in the anterior wall of the feline left ventricle: theoretical considerations with regard to uniformity of contradiction, 497
- HILDEBRAND, I. L., SYLVÉN, C., ESBJÖRNSSON, M., HELLSTRÖM, K. & JANSSON, E. Does chronic hypoxaemia induce transformations of fibre types? 441
- HILL, R. (see GRILLNER, P.)
- HILLIGES, M. (see JOHANSSON, O.)
- HJEMDAHL, P. (see MARTINSSON, A.)
- HÖGESTÄTT, E. D. (see ARNER, M.)
- HÖKFELT, T. (see EKLÖF, A.-C.)
- HÖKFELT, T. (see LUNDBERG, J. M.)
- HÖKFELT, T. (see PELTO-HUIKKO, M.)

- HOLMQVIST, F., HEDLUND, H. & ANDERSSON, K.-E.  
L-N<sup>G</sup>-nitro arginine inhibits non-adrenergic, non-cholinergic relaxation of human isolated corpus cavernosum, 441
- HOLSTEN-RATHLOU, N. (see HANSEN, C. P.)
- HOMMEL, G. (see NINK, M.)
- HU, G.-Y. Effects of depolarization and QX-314 injection on slow prepotentials in rat hippocampal pyramidal neurones *in vitro*, 235
- HUBERR, I. (see NINK, M.)
- IDHII, E. (see MATSUKAWA, T.)
- IMBIMBO, B. P. (see BASSOTTI, G.)
- ISHIHARA, A., TAGUCHI, S., ARAKI, H. & NISHIHARA, Y.  
Oxidative and glycolytic metabolism of the tibialis anterior motoneurons in the rat, 129
- JALOVAARA, P. (see TUUKKANEN, J.)
- JANSSON, E. (see HILDEBRAND, I. L.)
- JÄNTTI, V. (see YLI-HANKALA, A.)
- JEPPESEN, C. K. (see THORN, N. A.)
- JERNBECK, J. (see SAMUELSON, U. E.)
- JIMINEZ, C. (see MELIN, B.)
- JIMINEZ, W. (see CLARIA, J.)
- JOHANSSON, B. (see BLOW, A.)
- JOHANSSON, O., HILLIGES, M., OLSSON, A., ÖSTENSON, C.-G., MORRIS, M. & EFENDIC, S. Oxytocin in pancreatic islets - immunohistochemical localization in normal and non-insulin-dependent diabetic rats, 143
- KAISER, L. (see PERNOW, J.)
- KARLSSON, J.-A., ZACKRISSON, C. & LUNDBERG, J. M.  
Hyperresponsiveness to tussive stimuli in cigarette smoke exposed guinea-pigs: a role for capsaicin-sensitive, calcitonin gene-related peptide-containing nerves, 445
- KARLSTRÖM, G., BERGSTRÖM, G., FOLKOW, B., RUDENSTAM, J. & GÖTHBERG, G. Is the humoral renal antihypertensive activity of the spontaneously hypertensive rat (SHR) reset to the high blood pressure, 517
- KAUKINEN, S. (see YLI-HANKALA, A.)
- KENEMURA, T. (see TAMAOKI, J.)
- KENERVO, A., ARJAMMA, O., VUOLTEENAH, O. & LEPPÄLUOTO, J. Daily patterns of plasma atrial natriuretic peptide serum osmolality and haematocrit in the rat, 45
- KOBAYASHI, K. (see TAMAOKI, J.)
- KOISTINAHO, J. (see PELTO-HUIKKO, M.)
- KOISTINAHO, J. (see PÖRSTI, I.)
- KORNER, P. I. (see SMOLICH, J. J.)
- KORPI, E. R. (see TUOMINEN, K.)
- KRAUSE, U. (see NINK, M.)
- KUAJALA, U. M. (see VASANKARI, T. J.)
- KUROZAWA, Y., NASU, Y. & NOSE, T. Response of capsaicin pre-treated skin blood vessels to exercise, 181
- LA VILLA, G. (see CLARIA, J.)
- LACROIX, J. S. (see STJÄRNE, P.)
- LAIPPALA, P. (see PÖRSTI, I.)
- LARSSON, B. (see ANDERSSON, K.-E.)
- LEHNERT, H. (see NINK, M.)
- LEKVEN, J. (see HEXEBERG, E.)
- LEPPÄLUOTO, J. (see KANERVO, A.)
- LESKINEN, M. Left ventricle responses to experimental aortic coarctation in growing puppies, 391
- LEYSSAC, P. P. (see HANSEN, C. P.)
- LIDÈN, S. (see BONDESSON, L.)
- LINDSTRÖM, L. (see LUNDHOLM, K.)
- LINDSTRÖM, P. & BRISMAR, T. Mechanism of anoxic conduction block in mammalian nerve, 429
- LINDSTRÖM, S. & MAZIÈRES, L. Effect of menthol on the bladder cooling reflex in the cat, 1
- LINDVALL, K. (see MARTINSSON, A.)
- LLIBRE, J. (see CLARIA, J.)
- LISANDER, B. (see DELBRO, D. S.)
- LÖNNERHOLM, G. & WISTRAND, P. J. Membrane-bound carbonic anhydrase CA IV in the human kidney, 231
- LOU, Y.-P. (see LUNDBERG, J. M.)
- LOU, Y.-P., FRANCO-CERCEDA, A. & LUNDBERG, J. M.  
Omega-conotoxin inhibits CGRP release and bronchoconstriction evoked by a low concentration of capsaicin, 135
- LUNDBERG, J. M. Cecropin P1-like immunoreactivity in epithelial cells of duodenum and glucagon cells of the pancreas, 443
- LUNDBERG, J. M. (see HEMSÉN, A.)
- LUNDBERG, J. M. (see KARLSSON, J.-A.)
- LUNDBERG, J. M. & LOU, Y.-P. Dactinomycin inhibits non-cholinergic bronchoconstriction by capsaicin-sensitive sensory nerves in the guinea-pig by antagonizing neurokinin 2 receptor activation, 141
- LUNDBERG, J. M., HEMSÉN, A., ANDERSSON, M., HÖKFELT, T., MUTT, V. & BOMAN, H. G. Cecropin P1-like immunoreactivity in epithelial cells of duodenum and glucagon cells of the pancreas, 443
- LUNDBERG, J. M. (see LOU, Y.-P.)
- LUNDBERG, J. M. (see PERNOW, J.)
- LUNDBERG, J. M. (see STJÄRNE, P.)
- LUNDGREN, O. & HANSSON, G. C. Is there an interstitial natriuretic factor? 19
- LUNDHEIM, M. (see ROJKITTIKHUN, T.)
- LUNDHOLM, K., TERNELL, M., SACHROSSON, H., MOLDAWER, L. & LINDSTRÖM, L. Measurement of hepatic protein synthesis in unrestrained mice - evaluation of the 'flooding' technique, 207
- LUNDMARK, K. (see WIGANDER, A.)
- LYDRUP, M. L. & HELLSTRAND, P. Metabolic correlates to pacemaker activity in the smooth muscle of guinea-pig mesotubarium, 263
- MADSEN, G., TØTTRUP, G., FORMAN, A. & ANDERSON, K.-E. Mechanical properties of isolated human oesophageal submucosal veins, 383

- MALMBORG, A.-S. (see FUKUDA, Y.)  
 MÄMMI, P. (see PÖRSTI, I.)  
 MÄNSSON, B. & EKSTRÖM, J. On the non-adrenergic, non-cholinergic contribution to the parasympathetic nerve-evoked secretion of parotid saliva in the rat, 197  
 MARTINSSON, A., MELCHER, A., LINDVALL, K. & HJEMDAHL, P. Comparison between isoprenaline infusions and bolus injections to assess  $\beta$ -adrenoceptor function in man, with special reference to cardiac contractility and the influence of autonomic reflexes, 167  
 MASPERS, M., EKELEND, U., BJÖRNBORG, J. & MELANDER, S. Protective role of sympathetic nerve activity to exercising skeletal muscle in the regulation of capillary pressure and fluid filtration, 343  
 MATRE, K. (see HEXEBERG, E.)  
 MATSUKAWA, T., GOTOH, E., UNEDA, S., MUYAJIMA, E., SHIONORI, H., TOCHIKUBO, O. & IDHII, E. Augmented sympathetic nerve activity in response to stressors in young borderline hypertensive men, 157  
 MATTIASSON, A. (see ANDERSSON, K.-E.)  
 MAZIÈRES, L. (see LINDSTRÖM, S.)  
 MCCRAE, A. (see WIGANDER, A.)  
 MEDBØ, J. I. (see BAHR, R.)  
 MELCHER, A. (see MARTINSSON, A.)  
 MELIN, B., CURÉ, M., JIMINEZ, C., ALLEVAR, A. M., GEELLEN, G. & GHARIB, C. Plasma atrial natriuretic peptide and vasopressin during thermal dehydration in supine posture, 227  
 MELLANDER, S. (see MASPERS, M.)  
 MÉNDEZ-FRANCO, J. (see PÉREZ DE LA MORA, M.)  
 MOLDAWER, L. (see LUNDHOLM, K.)  
 MÖLNE, J. (see WIGANDER, A.)  
 MORELLI, A. (see BASSOTTI, G.)  
 MORRIS, M. (see JOHANSSON, O.)  
 MUTT, V. (see BONDESSON, L.)  
 MUTT, V. (see FUXE, K.)  
 MUTT, V. (see LUNDBERG, J. M.)  
 MUYAJIMA, E. (see MATSUKAWA, T.)  
 NAGAOKA, M. (see AL-FALAHE, N. A.)  
 NAKASHIMA, M. (see HASHIMOTO, H.)  
 NASU, Y. (see KUROZAWA, Y.)  
 NIELSEN, F. S. (see THORN, N. A.)  
 NILSSON, S. F. E. Neuropeptide Y (NPY): a vasoconstrictor in the eye, brain and other tissues in the rabbit, 455  
 NILSSON, O. (see WIGANDER, A.)  
 NINK, M., KRAUSE, U., LEHNERT, H., HEUBERGER, W., HUBER, I., SHULZ, R., HOMMEL, G. & BEYER, J. Thyrotropin-releasing hormone has stimulatory effects on ventilation in humans, 309  
 NISHIHARA, Y. (see ISHIHARA, A.)  
 NORDLIND, K. (see BONDESSON, L.)  
 NORDØY, E. S. & BLIX, A. S. Glucose and ketone body turnover in fasting grey seal pups, 565  
 NOSE, T. (see KUROZAWA, Y.)  
 NOWAK, J. (see PERNOW, J.)  
 NURMI, A. K. (see PÖRSTI, I.)  
 OGREN, S. O. (see FUXE, K.)  
 OLSSON, A. (see JOHANSSON, O.)  
 ÖPSTAD, P. K. (see BAHR, R.)  
 ÖSTENSON, C.-G. (see JOHANSSON, O.)  
 ØSTENSEN, J. (see VEEL, T.)  
 PATINO, A. (see YAJEYA, J.)  
 PELLI, M. A. (see BASSOTTI, G.)  
 PELTO-HUIKKO, M., SHULTZ, R., KOISTINAHO, J. & HOKFELT, T. Immunocytochemical demonstration of c-fos protein in sertoli cells and germ cells in rat testis, 283  
 PÉREZ DE LA MORA, M., MÉNDEZ-FRANCO, J., SALCEDA, R., AGUIRRE, J. A. & FUXE, K. Neurochemical effects of nicotine on glutamate and GABA mechanisms in the rat brain, 241  
 PERNOW, J. (see HEMSÉN, A.)  
 PERNOW, J., HEMSEN, A., LUNDBERG, J. M., NOWAK, J. & KAISER, L. Potent vasoconstrictor effects and clearance of endothelin in the human forearm, 319  
 PERSSON, A. G. (see SALOMONSSON, M.)  
 PERSSON, M. G., WIKLUND, N. P. & GUSTAFSSON, L. E. Nitric oxide requirement for vasomotor nerve-induced vasodilatation and modulation for resting blood flow in muscle microcirculation, 49  
 PFISTER, K. K. (see DÄHLSTRÖM, A. B.)  
 PORKKALA, T. (see YLI-HÄNKÄLÄ, A.)  
 PÖRSTI, I., WUORELA, H., ARVOLA, P., MÄMMI, P., NURMI, A.-K., KOISTINAHO, J., LAIPPALA, P. & VAPAATALO, H. Effects of calcium supplementation and deoxycorticosterone on plasma atrial natriuretic peptide and electrolyte excretion in spontaneously hypertensive rats, 343  
 RÆDER, M. G. (see VEEL, T.)  
 RIEU, M. (see BEAUDRY, M.)  
 RIOLOBOS, A. S. (see YAJEYA, J.)  
 RIVERA, F. (see CLARIA, J.)  
 ROJKITTIKHUN, T., UVNÄS-MOBERG, K., EINARSSON, S. & LUNDHEIM, M. Effects of weaning on plasma levels of prolactin, oxytocin, insulin, glucagon, glucose, gastrin and somatostatin in sows, 295  
 RUBE, N. & SECHER, N. H. Effect of training on central factors of fatigue following two- and one-leg static exercise in man, 87  
 RUDENSTAM, J. (see KARLSTRÖM, G.)  
 SAKAI, N. (see TAMAOKI, J.)  
 SALCEDA, R. (see PÉREZ DE LA MORA, M.)  
 SALOMONSSON, M., SKÖTT, O. & PERSSON, A. G. Influence of intraluminal arterial pressure on renin release, 285  
 SAMUELSON, U. E. & JERNBECK, J. Calcitonin gene-related peptide relaxes porcine arteries via one

- endothelium-dependent and one endothelium-independent mechanism, 281
- SAVIN, J. (see CELSI, G.)
- SECHER, N. H. (see RUBE, N.)
- SEJERSTED, O. M. (see BAHR, R.)
- SHIONORI, H. (see MATSUKAWA, T.)
- SHULTZ, R. (see PELTO-HUIKKO, M.)
- SHULZ, R. (see NINK, M.)
- SJOGREN, C. (see ANDERSSON, K.-E.)
- SKÖTT, O. (see HANSEN, C. P.)
- SKÖTT, O. (see SALOMONSSON, M.)
- SMOLICH, J. J., WEISSBERG, P. L., FRIBERG, P. & KORNER, P. I. Right ventricular coronary blood flow patterns during aortic pressure reduction in renal hypertensive dogs, 507
- SONTELL, M. (see CELSI, G.)
- STILLER, C.-O., FASTBOM, J., FREDHOLM, B. B. & BRODIN, E. The adenosine analogue R-PIA interacts with substance P binding in the rat brain and spinal cord, 573
- STJÄRNE, P., LACROIX, J. S., ÄNGÅRD, A. & LUNDBERG, J. M. Compartment analysis of vascular effects of neuropeptides and capsaicin in the pig nasal mucosa, 335
- SYLVÉN, C. (see HILDEBRAND, I. L.)
- TAGUCHI, S. (see ISHIHARA, A.)
- TAKIZAWA, T. (see TAMAOKI, J.)
- TALAN, M. I. (see ENGEL, B. T.)
- TAMAOKI, J., SAKAI, N., KOBAYASHI, K., KENEMURA, T. & TAKIZAWA, T. Stimulation of airway ciliary motility by immunologically activated canine pulmonary macrophages: role of leukotrienes, 415
- TERNELL, G. (see LUNDHOLM, K.)
- TESCH, P. A. (see COLLIANDER, E. B.)
- THEODORSSON, E. (see BONDESSON, L.)
- THIEULART, K. (see BEAUDRY, M.)
- THORN, N. A., NIELSEN, F. S. & JEPPESEN, C. K. Characteristics of ascorbic acid uptake by isolated ox neurohypophyseal nerve terminals and the influence of glucocorticoid and tri-iodothyronine on uptake, 97
- THULESIUS, O. & YOUSIF, M. H. Na, K-ATPase inhibition, a new mechanism for cold-induced vasoconstriction in cutaneous veins, 127
- TINNER, B. (see FUXE, K.)
- TOCHIKUBO, O. (see MATSUKAWA, T.)
- TOTTRUP, A. (see ANDERSSON, K.-E.)
- TOTTRUP, G. (see MADSEN, G.)
- TUOMINEN, K. & KORPI, E. R. Lack of effects on handling habituation and swimming stress on ethanol-induced motor impairment and GABA receptor function, 409
- TUUKKANEN, J., JALOVAARA, P. & VÄÄNÄNEN, K. Calcitonin treatment of immobilization osteoporosis in rats, 119
- UNEDA, S. (see MATSUKAWA, T.)
- UVNÄS-MOBERG, K. (see ROJKITTIKHUN, T.)
- USKI, T. K. (see ARNER, M.)
- VÄÄNÄNEN, K. (see TUUKKANEN, J.)
- VAAPATALO, H. (see PÖRSTI, I.)
- VALLBO, A. B. (see AL-FALAHE, N. A.)
- VASANKARI, T. J., KUAJALA, U. M. & VILJANEN, T. T. Carbohydrate ingestion during prolonged running exercise results in an increase of serum cortisol and decrease of gonadotrophins, 373
- VEEL, T., BUANES, T., GROTMOL, Y., ØSTENSEN, J. & RØDER, M. G. Secretin dissipates red acridine orange fluorescence from pancreatic duct epithelium, 221
- VILJANEN, T. T. (see VASANKARI, T. J.)
- VINGE, E. (see ANDERSSON, T. L. G.)
- VUOLTEENAH, O. (see KENERVO, A.)
- WIESENFELD-HALLEN, Z., XU, X.-J., HÄKANSON, R., FENG, D. M. & FOLKERS, K. Tachykinins mediate changes in spinal reflexes after activation of unmyelinated muscle afferents in the rat, 57
- WEISSBERG, P. L. (see SMOLICH, J. J.)
- WIGANDER, A., LUNDMARK, K., MCCRAE, A., MÖLNE, J., NILSSON, O., HAGLID, K., DAHLSTRÖM, A. & AHLMAN, H. Production of transferable neurotrophic factor(s) by human midgut carcinoid tumour cells; studies using cultures of rat fetal cholinergic neurons, 107
- WIKLUND, N. P. (see PERSSON, M. G.)
- WISTRAND, P. J. (see LÖNNERHOLM, G.)
- WUORELA, H. (see PÖRSTI, I.)
- XU, X.-J. (see WIESENFELD-HALLEN, Z.)
- YAJEYA, J., PATINO, A., RIOLOBOS, A. S., CRIADO, J. M. & DE LA FUENTE, A. Passive avoidance conditioning and unitary activity in the basolateral amygdaloid nucleus of the rat, 549
- YLI-HANKALA, A., PORKKALA, T., KAUKINEN, S., HÄKKINEN, V. & JÄNTTI, V. Respiratory sinus arrhythmia is reversed during positive pressure ventilation, 399
- YOUSIF, M. H. (see THULESIUS, O.)
- ZACHROSSON, H. (see LUNDHOLM, K.)
- ZACKRISSON, C. (see KARLSSON, J.-A.)



## Subject index

- Accommodated resistance, 149  
Acetoacetate, 565  
Acetylcholine, 197  
Acridine orange, 221  
Action potential, 429  
Acute myocardial ischaemia, 63  
Adenosine, 573  
ADP, 421  
Adrenalectomy, 35  
Adrenaline, 35  
Adrenergic receptors, 11  
Airway, 445  
Alcohol sensitivity, 409  
Allergy, 415  
Alpha glycerophosphate activity, 129  
Amiloride, 185  
Aminoglycosides, 27  
Angiotensin II, 71, 573  
Anoxia, 429  
ANP, 45, 343  
Anterior motoneuron, 129  
Anterograde transport, 469  
Aortic coarctation, 391  
Arginine analogues, 49  
Ascorbic acid, 97  
Asthma, 415  
ATP, 263  
Atrial natriuretic peptide, 227  
Atropine, 167  
Autonomic reflex, 1  
Autoregulation, 507  
Axonal transport, 469  
  
Basolateral amygdaloid nucleus, 549  
BCECF/AM, 221  
 $\beta$ -adrenoceptor, 455  
 $\beta$ -hydroxybutyrate, 565  
Bicarbonate secretion, 221, 231  
Biopsy, 435  
Blockade, 455  
Blood pressure, 167, 343  
Blood volume, 273  
Bone, 119  
Borderline hypertension, 157  
Brain, 241, 573  
Bronchoconstriction, 445  
  
Calcitonin gene-related peptide, 335  
Calcium, 119, 343  
Calcium antagonism, 541  
Calcium antagonists, 63  
Calcium ions, 251  
  
Capillary filtration, 489  
Capillary fluid exchange, 351  
Capillary pressure, 351  
Capsaicin, 135, 141, 181, 335  
Captopril, 575  
Carbon dioxide, 309  
Carbonic anhydrase, 231  
Carcinoid tumour cells, 107  
Cardiac ventricle, 19  
Cast, 119  
Cat, 11  
Catecholamines, 343  
Catheterization, 391  
CCCP, 221  
Cell culture, 107  
Cell membranes, 231  
Central cardiovascular regulation, 35  
Central parasympathetic reflex, 335  
Cerebral blood flow, 455  
Chloride flux, 409  
Cholroquine, 221  
Cholinergic neurons, 107  
Choroid, 455  
Chronic obstructive lung disease, 435  
Cilia, 415  
Ciliary body, 455  
Citric acid, 445  
Clearance, 325  
Clonidine, 167  
Cobalt ions, 251  
Cold, 127  
Cold receptors, 1  
Colon, 289  
Computer modelling, 207  
Conotoxin, 135  
Conscious rats, 305  
Contraction, 263  
Coronary circulation, 507  
Coronary vascular resistance, 507  
Corpus cavernosum, 441  
Corticosterone, 35, 409  
Cortisol, 373, 575  
Cough, 445  
Cross-circulation, 517  
Cyanide, 263  
Cytofluorimetric scanning (CFS), 469  
  
DA receptors, 577  
DA utilization, 139  
Dactinomycin, 141  
Daily rhythm, 45  
Decentralization, 11



- Dehydration, 227  
Deoxycorticosterone, 343  
Depolarization, 235  
Depression, 137  
Differentiation, 283  
Dinitrophenol, 429  
Discordant alternans, 63  
Disuse, 119  
Dopamine, 577  
Dopamine levels, 139  
Drug effect, 309
- Echocardiography, 167  
Edrophonium, 289  
<sup>86</sup>Rb efflux, 421  
Electrical alternans, 63  
Electrical stimulation, 11, 531  
Electromyography, 87  
Endothelin, 305, 319, 325  
Endothelium-derived relaxing factor, 49  
Enflurane, 399  
Epinephrine, 157  
Epithelium, 415  
Excess postexercise O<sub>2</sub> consumption, 555  
Exercise, 181, 373  
Exercise hyperaemia, 351  
Experimental, 119
- FCCP, 221  
Felodipine, 483, 541  
[5-<sup>3</sup>H]HT release, 421  
Flexor reflex, 57  
Forearm, 319  
Formation, 199  
FSH, 373
- GABA, 241  
GABA utilization, 241  
GABA receptor handling, 409  
Galanin receptors, 137  
Gall-bladder, 185  
Ganglionic transmission, 125  
Gastric motility, 125  
Gastrin, 295  
Glucagon, 295  
Glucocorticoid, 97  
Gluconeogenesis, 565  
Glucose, 295, 373  
Glucose infusion, 555  
Glutamate, 241  
Glutamate release, 241  
Glycine site, 131  
Guanethidine, 125
- Haematocrit, 45  
Haemodynamics, 273, 483  
*Halichoreus grypus*, 565  
Hand, 363
- Hexamethonium, 125  
Hippocampal pyramidal neurones, 235  
Hippocampus, 279  
Histamine, 445  
Horseradish peroxidase, 129  
Human, 319, 363, 435  
Human hand veins, 79  
Human oesophageal veins, 383  
Human platelets, 421  
Humans, 555  
Hyperfiltration, 483  
Hyperpolarization-activation, 251  
Hypertension, 507, 517  
Hypoxia, 435  
H-ATPase, 221
- Imipramine, 137  
Immunofluorescence, 107, 469  
Immunohistochemistry, 143, 231  
*In vivo*, 445  
*In vivo* microcirculation, 49  
Insulin, 295  
Intracerebroventricular, 575  
Intracerebroventricular injection, 35, 139  
Iris, 455  
Isoflurane, 399  
Isoprenaline, 167
- Ketogenesis, 565  
Kidney, 231, 325  
Kinesin, 469
- Lactate, 263  
Lactate uptake, 379  
Lamprey, 131  
Length-tension relationship, 383  
Leucocytes, 477  
Leukotriene, 415  
LH, 373  
Lithium, 185  
Liver, 207  
Lobster stretch receptor neurone, 251  
Locomotion, 131  
Lung, 135
- Macrophage, 415  
Mammalian nerve, 429  
Man, 309, 441  
Manometry, 289  
Mathematical model, 497  
Mechanical alternans, 63  
Medullipin I and II, 517  
Membrane current, 251  
Membrane depolarization, 421  
Methol, 1  
Microdissection, 221  
Microneurography, 157, 363  
Migration, 477



- Military field exercise, 555
- Monoclonal antibodies, 469
- Motility, 289
- Motor activity, 363
- Motor axons, 469
- Mucociliary transport, 415
- Muscarinic receptors, 11
- Muscimol, 409
- Muscle afferents, 57
- Muscle capillaries, 87
- Muscle exercise, 351
- Muscle fibre, 497
- Muscle fibre size, 87
- Muscle fibre types, 87
- Muscle glycogen, 87
- Muscle spindles, 363
- Muscle sympathetic nerve activity, 157
- Muscular strength, 149
- Myoblast, 379
- Myocardial contraction, 497
- Myogenic response, 541
  
- Na excretion, 71
- Na,K-ATPase, 19, 27
- Nasal mucosa, 335
- Natriuretic factor, 19
- Na<sup>+</sup>/K<sup>+</sup>-ATPase, 127
- Na<sup>+</sup>/K<sup>+</sup>-ATPase, 263
- Neostriatum, 139
- Nephrotoxicity, 27
- Neurectomy, 119
- Neurohypophysis, 97
- Neurokinin 2 receptors, 141
- Neurokinin A, 57, 141
- Neuronotrophic growth factors, 107
- Neuropeptide Y, 35, 279, 455
- Neuropeptides, 57
- Nicotine, 241
- Nitric oxide, 49, 133, 441, 531
- NMDA, 131
- Nocturnal, 273
- Non-adrenergic, non-cholinergic transmitters, 197
- Noradrenaline, 319, 383
- NPY receptors, 279
  
- Ocular blood flow, 455
- Omega, 135
- Osmolality, 45
- Ouabain, 127, 429
- Overtraining, 555
- Oxygen consumption, 263
- Oxytocin, 143, 295
  
- Pacemaker activity, 263
- Pancreas, 143, 221
- Parasympathetic, 11
- Parasympathetic nerve stimulation, 197
- Passive avoidance, 549
  
- Peak torque, 149
- PEC-60, 139
- Peptides, 143
- Perfusion, 421
- Physical stressor, 157
- Physiology, 309
- Pig, 221
- Pinnipeds, 565
- Platelet activating factor, 517
- Platelet aggregation, 421
- Plus-maze, 409
- Posture, 227
- Prevertebral ganglia, 125
- Prolactin, 295
- Prostacyclin, 319
- Prostaglandin, 415
- Prostanoid receptors, 79
- Protein synthesis, 207
- Protons, 251
- Proto-oncogenes, 283
- Proximal tubing, 27
- Psychological stressor, 157
- Pulmonary afferents, 141
  
- Quadriceps, 149
- QX-314, 235
  
- Rabbit, 185
- Radioactive microspheres, 507
- Rat, 45, 129, 137, 143, 241, 279, 379, 469, 549, 573
- Rat brain, 35
- Receptor autoradiography, 279
- Receptor binding, 573
- Receptors, 137
- Receptor-receptor interactions, 137, 279
- Reflex, 445
- Relaxation, 133, 441, 531
- Remnant kidney, 483
- Remoxipride, 577
- Renal denervation, 71
- Renal function, 305, 517
- Renal medulla, 517
- Renal tubular acidosis, 231
- Renovascular hypertension, 71
- Resorption, 119
- Respiration, 309
- Respiratory exchange ratio, 555
- Respiratory sinus arrhythmia, 399
- Resting metabolic rate, 555
  
- Salivary secretion, 197
- Salmon calcitonin, 119
- Sarafotoxin 6b, 325
- Secretin, 221
- Secretosomes, 97
- Segmental sodium handling, 305
- Sensory axons, 469
- Sensory nerves, 135

- 7-chlorokynurenic acid, 131  
Sheep, 531  
SHR, 343, 517  
Signal averaging, 399  
Skeletal muscle, 49, 435  
Skin and rectal temperatures, 555  
Skin blood flow, 181  
Sleep deprivation, 555  
Slow pre-potential, 235  
Small intestine, 19  
Smooth muscle, 441, 531  
Sodium, 343  
Sodium absorption, 185  
Sodium-proton exchange, 185  
Soma size, 129  
Somatostatin, 295  
Sow, 295  
Spermatogenesis, 283  
Sperms, 283  
Spinal cord, 57, 131, 573  
Spleen, 325  
Starvation, 555, 565  
Striatum, 577  
Substance P, 57, 335, 573  
Succinate dehydrogenase activity, 129  
Swimming stress, 409  
Sympathetic reflex, 125  
Sympathetic control, 351  
Sympatholysis, 351  
Systolic time intervals, 167  
  
Tachykinin, 57  
Temperature, 251  
Testosterone, 373  
Thermoregulation, 127  
Thick ascending limb, 27  
Thirst, 575  
  
Thrombin, 421  
Thromboxane receptor agonists, 79  
Tibialis, 129  
Tissue pressure, 489  
Transcapillary fluid balance, 489  
Transmitter, 531  
Tri-iodothyronine, 97  
tRNA, 207  
Tubulovesicles, 221  
  
Unitary activity, 549  
Unmyelinated fibres, 57  
Urethra, 133, 531  
Urinary bladder, 1, 11  
  
Vascular resistance, 319, 351  
Vascular smooth muscle, 541  
Vasoactive intestinal peptide (VIP), 477  
Vasoactive intestinal polypeptide, 335  
Vasoconstriction, 319, 351, 455  
Vasodilation, 335, 351  
Vasomotor nerves, 49  
Vasoconstriction, 325  
Vasopressin, 227  
Veins, 127  
Venous compliance, 319  
Ventricular function, 391  
Visceral afferents, 125  
Volatile anaesthetics, 399  
  
Water absorption, 185  
Weaning, 295  
Wick method, 489  
Wistar rats, 409  
WKY, 517  
Work physiology, 351

